


DATASHEET

OVALSTEEL SC



GENERAL

Art.Nr:	H-037	Standards:	EN 12275-B:2013, EN 362-B:2004
GTIN:	4030281282747	Net weight:	0.17 kg
E-class number:	40-02-01-05	Gross weight:	0.17 kg
Customs tariff number:	73269098900003		

DATASHEET

OVALSTEEL SC

We have adopted the Oval Steel karabiner from our industrial range into the sports range. The ideal place for this carabiner (gate opening 17 millimetres) is as a diverter, for extreme loads or where aluminium is not sufficient. - Robust for dusty working environments - Simple operation - 17 mm gate opening

FEATURES

Application areas:	Rope access
Colour:	Silver
Swivel:	No
Carabiner properties:	Corrosion resistance
Fallindicator:	No
Gate opening:	17 mm
MBS MAJOR AXIS:	25 kN
MBS GATE OPEN:	8 kN
MBS MINOR AXIS:	9 kN
Form fit:	Hook-Nose
Carabiner type:	Type B (EN 362:2004)
Maximum lifetime:	30 years
Minimum temperature:	-35 °C
Maximum temperature:	45 °C
Standard ANSI:	No
Standard CSA:	No
UIAA compliance:	No
Anti-twist device:	No
Carabiner clasp:	Screwlock

MATERIAL

Material:	Steel
-----------	-------

DATASHEET
OVALSTEEL SC

